





MainSpring - Parks/Salyer Plan View *April 29, 2024*



● April 29 Press Release
● Assays Pending
● Previously Released



MainSpring - Parks/Salyer A-A' Cross Section, looking West April 29, 2024



ECM-213 Oxide: Exotic Malachite and Tenorite in Tertiary Conglomerate



1.731% CuT
1.674% TSol
0.003% Mo

11.7 ft Interval
143.8 ft – 155.5 ft
(3.6 m, 43.8 m – 47.4 m)

Within:
1.18% CuT
1.13% TSol
0.003% Mo

25.4 ft interval
137.0 ft – 162.4 ft
(7.7 m, 41.8 m – 49.5 m)

ECM-213 Enriched: Vein and Disseminated Chalcocite in Brecciated Granite



2.009% CuT
2.005% TSol
0.001% Mo

10.0 ft Interval
717.0 ft – 727.0 ft
(3.0 m, 218.5 m – 221.6 m)

Within:
0.33% CuT
0.33% TSol
0.001% Mo

164.5 ft interval
602.5 ft – 767.0 ft
(50.1 m, 183.6 m – 233.8 m)

ECM-214 Enriched: Veinlet and Disseminated Chalcocite in Brecciated Granite



1.193% CuT
1.165% TSol
0.004% Mo

10.0 ft Interval
826.0 ft – 836.0 ft
 (3.0 m, 251.8 m – 254.8 m)

Within:
 0.72% CuT
 0.71% TSol
 0.003% Mo

95.4 ft interval
770.9 ft – 866.3 ft
 (29.1 m, 235.0 m – 264.0 m)

ECM-215 Enriched: Disseminated Chalcocite and Covellite in Gr-Mp Breccia



1.119% CuT
0.824% TSol
0.013% Mo

10.0 ft Interval
1077.0 ft – 1087.0 ft
(3.0 m, 328.3 m – 331.3 m)

Within:
0.50% CuT
0.34% TSol
0.012% Mo

387.7 ft interval
829.3 ft – 1,217.0 ft
(118.2 m, 252.8 m – 370.9 m)

ECM-216 Enriched: Veinlet and Disseminated Chalcocite in Brecciated MP



0.89% CuT
0.851% TSol
0.004% Mo

10.2 ft Interval
386.3 ft – 396.5 ft
 (3.1 m, 117.7 m – 120.9 m)

Within:
 0.25% CuT
 0.24% TSol
 0.003% Mo

173.7 ft interval
 386.3 ft – 560.0 ft
 (52.9 m, 117.7 m – 170.7 m)

ECM-218 Enriched: Disseminated Chalcocite and Covellite in Mixed Breccia



2.299% CuT
2.293% TSol
0.06% Mo

10.0 ft Interval
1,127.0 ft – 1,137.0 ft
(3.0 m, 343.5 m – 346.6 m)

Within:
0.95% CuT
0.56% TSol
0.088% Mo

290.0 ft interval
1,055.0 ft – 1,345.0 ft
(88.4 m, 321.6 m – 410.0 m)

ECM-218 Primary: Disseminated Chalcopyrite and Pyrite in Brecciated MP




1.138% CuT
0.046% Mo

10.0 ft Interval
1,447.0 ft – 1,457.0 ft
(3.0 m, 441.0 m – 444.1 m)

Within:
0.46% CuT
0.012% Mo

676.7 ft interval
1,345.0 ft – 2,021.7 ft
(206.3 m, 410.0 m – 616.2 m)

ECM-221 Enriched: Disseminated Chalcocite in Mixed Breccia



1.671% CuT
1.612% TSol
0.001% Mo

10.0 ft Interval
677.0 ft – 687.0 ft
(3.0 m, 206.4 m – 209.4 m)

Within:
0.34% CuT
0.33% TSol
0.005% Mo

295.7 ft interval
665.0 ft – 960.7 ft
(90.1 m, 202.7 m – 292.8 m)

ECM-222 Oxide: Fracture-Controlled Malachite in Mixed Breccia



0.805% CuT
0.769% TSol
0.006% Mo

10.0 ft Interval
897.0 ft – 907.0 ft
 (3.0 m, 273.4 m – 276.5 m)

Within:

0.49% CuT
 0.47% TSol
 0.009% Mo

83.0 ft interval
 843.0 ft – 926.0 ft
 (25.3 m, 256.9 m – 282.2 m)

ECM-222 Enriched: Disseminated Chalcocite in Mixed Breccia



5.683% CuT
5.530% TSol
0.028% Mo

10.0 ft Interval
1,217.0 ft – 1,227.0 ft
 (3.0 m, 370.9 m – 374.0 m)

Within:
 1.12% CuT
 0.88% TSol
 0.025% Mo

127.4 ft interval
 1,170.8 ft – 1,298.2 ft
 (38.8 m, 356.9 m – 395.7 m)